

**PLAN NOTES**


- 1. FIELD VERIFY EXACT LOCATION, FLOW, AND SIZE OF ALL WASTE LINES AND EXISTING CLEANOUTS PRIOR TO CONSTRUCTION. SEE P1.1 FOR NEW SINK LOCATIONS. CAP WASTE, WATER AND VENT TO NOT BE REUSED UNDER FLOOR.
- 2. KITCHEN FIXTURES TO BE REMOVED BY OWNER PRIOR TO CONSTRUCTION. CAP WASTE WATER AND VENT IN WALL AND ABANDON. SEE P1.1 FOR WASTE, WATER AND VENT LINES TO BE REUSED FOR NEW SINK LOCATION.
- 3. REMOVE EXISTING FLOOR DRAIN STRAINER FOR NEW FLOOR FINISHES.
- 4. EXISTING GREASE TRAP TO REMAIN. PROTECT DURING CONSTRUCTION.
- 5. EXISTING FLOOR DRAIN TO BE REMOVED. SEE P1.1 FOR LOCATION AND SAW CUT DETAILS OF NEW FLOOR DRAIN.
- 6. EXISTING WATER HEATERS TO BE REMOVED AND DISPOSED OF. SEE P1.1 FOR NEW WATER HEATER LOCATION AND ROUTE OF WATER LINES.

**GENERAL NOTES**

- 1. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONNECTIONS ON THE JOB SITE. ALL WORK SHALL BE EXECUTED FROM MEASUREMENTS TAKEN AT THE SITE.
- 2. THE MECHANICAL CONTRACTOR SHALL BE RESPONSIBLE TO INSURE PROPER CODE CLEARANCES FOR ELECTRICAL AND MECHANICAL ACCESS WHEN INSTALLING ANY EQUIPMENT SUPPLIED BY THE MECHANICAL CONTRACTOR.
- 3. IT IS CRITICAL THAT THIS CONTRACTOR COORDINATE EQUIPMENT LOCATIONS WITH PIPING, DUCTWORK, ELECTRICAL CONDUIT AND BUILDING STRUCTURE TO INSURE CODE COMPLIANCE.
- 4. CEILING DIFFUSERS ARE SHOWN IN APPROXIMATE LOCATIONS. REFER TO LIGHTING PLANS AND REFLECTED CEILING PLAN FOR EXACT LOCATIONS.
- 5. DUCT DIMENSIONS CALLED OUT ON DRAWINGS ARE INSIDE FREE AREA DIMENSIONS. ACOUSTICAL DUCT LINER ARE TO BE ADDED TO OVERALL MEASUREMENTS.
- 6. ALL DUCTWORK AND PIPING WHICH PASSES THRU FIRE RATED WALLS TO BE FIRE STOPPED WITH APPROVED FOAM OR SEALANT. REFER TO SPECIFICATIONS FOR APPROVED MANUFACTURES.

**1 PLUMBING DEMO FLOOR PLAN**  
SCALE: 1/4" = 1'-0" NORTH

Ownership & Use of Documents  
Drawings and specifications, as instruments of professional service are and shall remain the property of the architect. These documents are not to be used, in whole or in part for any project or purposes whatsoever, without the prior specific written authorization of GPC Architects PLLC.



revisions

no.	description	date
1	ADDENDUM #1	5/17/19

project: 1806  
DPW project: 19230  
date: 04/17/2019

**Engineered Systems Associates**  
1355 EAST CENTER  
POCATELLO, IDAHO 83201  
PHONE: (208) 233-0501  
FAX: (208) 233-0529  
EMAIL: esa@engsystems.com  
ESA JOB NUMBER: 18076

*Wayne C. Stuber*  
5762  
MAR 27, 2019  
STATE OF IDAHO  
DIETETICS C. STUBER

**PLUMBING DEMO FLOOR PLAN**  
sheet:  
**P1.0**

9/16/2019 12:31:51 PM