
project: 1804 date: 06/06/19

SECOND FLOOR PLBG PLANS


P1.2



SCALE: 1/8" = 1'-0"

**SECOND FLOOR PLUMBING PLAN** 

NORTH



WITH ROOF CAP

DO NOT LOCATE ANY ROOF TOP EQUIPMENT CLOSER THAT 10'-0" AWAY FROM ROOF EDGE.

PROVIDE PRESSURE REGULATOR, SHUT-OFF

VALVE AND FLEXIBLE NOSE AT POINT OF CONNECTIONS. (TYPICAL OF.) REFER TO DETAIL K/P3.2 FOR TYPICAL GAS LINE CONNECTION.

RD-2

3700 SQ. FT.

ROOF AREA

3/4" GAS —

`—4" EXHAUST DUCT

WITH ROOF CAP

OD-2 3700 SQ. FT. ROOF AREA

DO NOT LOCATE ANY ROOF TOP EQUIPMENT CLOSER THAT 10'-0" AWAY FROM ROOF EDGE.

PROVIDE PRESSURE REGULATOR, SHUT-OFF VALVE AND FLEXIBLE HOSE AT POINT OF CONNECTIONS. (TYPICAL OF .) REFER TO DETAIL K/P3.2 FOR TYPICAL GAS LINE CONNECTION.

3" VTR-/

~\_3" VTR

RD-1 6 6

400 SQ. FT. ROOF AREA

3" VTR-

RD-1 O OD-1

420 SQ. FT. ROOF AREA

ROOF AREA

RD-1 O OD-1

400 SQ. FT.
ROOF AREA

- 1" GAS

RISE 1-1/4" GAS LINE UP FROM MAIN LEVEL. SEE SHEET P1.1

FOR CONTINUATION.

FC 2B

- 3/4" GAS

3" VTR

4" EXHAUST DUCT WITH ROOF CAP