


**ROOF LEVEL - PLUMBING FLOOR PLAN**

SCALE: 3/32" = 1'-0"



**PLAN NOTES:**

- 1 DROP 3/4" (2 PSI) GAS LINE DOWN THRU ROOF TO ATTIC SPACE. SEE SHEET P1-4 FOR CONTINUATION OF GAS PIPING. SEAL ROOF PENETRATION WEATHERTIGHT.
- 2 INSTALL 2 PSI TO OZ. GAS REGULATOR ON 3/4" GAS LINE SERVING ROOFTOP UNIT. SIZED FOR ACTUAL BTU LOAD OF UNIT SUPPLIED. CONNECT 3/4" (OZ.) GAS LINE TO ROOFTOP UNIT COMPLETE WITH SHUT-OFF VALVE, DIRT LEG AND FLEXIBLE CONNECTION. SEE DETAIL ON SHEET P3-0.

05.06.22

DATE \_\_\_\_\_

A NEW HOTEL:  
HOTEL  
TWIN FALLS, ID.  
ROOF LEVEL PLUMBING FLOOR PLAN

**Laughlin Ricks Architecture**  
—architecture/planning—  
134 3RD AVE. E. \* Twin Falls, Idaho 83301  
(208) 736-8050 Fax: (208) 733-0950

PROFESSIONAL ENGINEER  
REG. NO. 18184  
MAY 06, 2023  
STATE OF IDAHO  
DAVID L. HANSEN

**Engineered  
Systems  
Associates**

1355 EAST CENTER  
POCATELLO, IDAHO 83201  
PHONE: (208) 233-0501  
FAX: (208) 233-0529  
EMAIL: esa@engsystems.com  
ESA JOB NUMBER: 22017

DATE: 5/06/2022

DR: \_\_\_\_\_  
Checked

**P1-5**